



Index

Note: Page numbers of article titles are in **boldface** type.

A

- Academic performance, effects of sleepiness in children on, 112
- Accidents, in the workplace, due to shift work sleep disorder, 21–22
 - motor vehicle, impact of excessive daytime sleepiness due to obstructive sleep apnea syndrome on, 69
- Advanced sleep phase syndrome, 25
- Aggression, effects of sleepiness in children on, 111
- Alertness, daytime, periodic leg movements in sleep and restless legs syndrome related to, 157–163
- Antidepressants, in narcolepsy treatment, 56–58
- Apnea-hypopnea index, and excessive daytime sleepiness in obstructive sleep apnea, 64
- Apnea. *See* Obstructive sleep apnea syndrome.
- Arousals, from sleep, excessive daytime sleepiness in obstructive sleep apnea due to brief, 64
- Assessment, excessive daytime sleepiness, in the general population, 9, 13
- Attention deficit hyperactivity disorders, sleepiness in children with, 109–110
- Autonomic activation, and excessive daytime sleepiness in obstructive sleep apnea, 65
- Autonomic dysfunction, in Kleine-Levin syndrome, 95–96

B

- Behavior, effects of sleepiness in children on, 111
- Behavioral sleep disorders, in children, 109
- Blood tests, for Kleine-Levin syndrome, 96

C

- Cataplexy, in narcolepsy, 49
- Central nervous system dysfunction, and sleepiness in patients with neuromuscular disorders, 121–122

- Cerebrospinal fluid analysis, for Kleine-Levin syndrome, 96
 - hypocretin-1 levels in, in narcolepsy patients, 50
- Children. *See* Pediatrics.
- Chronic fatigue syndrome, *versus* idiopathic hypersomnia, 85
- Circadian rhythm sleep disorders, 17–30, 38
 - advanced sleep phase syndrome, 25
 - delayed sleep phase syndrome, 24–25
 - in children, 109
 - irregular sleep-wake syndrome, 25–26
 - jet lag, 22–24
 - non-24-hour sleep-wake syndrome, 25
 - shift work sleep disorder, 18–22
- Circadian rhythms, contributing to sleepiness in children, 107
- Cognitive decline, impact of excessive daytime sleepiness due to obstructive sleep apnea syndrome on, 69
- Cognitive deficits, excessive daytime sleepiness and, 13–14
- Cognitive disturbances, in Kleine-Levin syndrome, 94
- Compulsive behaviors, in Kleine-Levin syndrome, 95
- Computed tomography (CT), brain imaging in Kleine-Levin syndrome, 97
- Continuous positive airway pressure, nasal, for excessive daytime sleepiness due to obstructive sleep apnea syndrome, 70–71
- Cyclic alternating pattern, and excessive daytime sleepiness in obstructive sleep apnea, 65–66

D

- Daytime sleepiness, excessive. *See* Sleepiness, excessive daytime.
- Delayed sleep phase syndrome, 24–25
- Delusion, in Kleine-Levin syndrome, 94

Deprivation, sleep. *See* Sleep deprivation.
 Derealization, in Kleine-Levin syndrome, 94
 Developmental disabilities, sleepiness in children with, 109
 Drug abuse, hypersomnia due to, *versus* idiopathic hypersomnia, 85

E

Eating behavior disorders, in Kleine-Levin syndrome, 94
 Electroencephalograms (EEGs), in Kleine-Levin syndrome, 96
 Electromyography (EMG), of periodic leg movements in sleep and restless legs syndrome, 158–160
 Environmental influences, contributing to sleepiness in children, 107
 Epidemiology, of excessive daytime sleepiness, 9–16
 assessment of, in general population, 9, 13
 cognitive deficits and, 13–14
 factors associated with, 14
 in Parkinson's disease, 128–130
 mortality and, 14
 poststroke, 142–143
 prevalence of, in general population, 10–13
 European studies, 13
 North American studies, 13
 South American studies, 13
 of Kleine-Levin syndrome, 90
 Epworth Sleepiness Scale, 36, 68–69, 106, 122
 European studies, on prevalence of excessive daytime sleepiness, 13
 Excessive daytime sleepiness. *See* Sleepiness, excessive daytime.

F

Fatigue, in poststroke hypersomnia, 144
 Fragmentation, sleep, 38–39

G

Genetic testing, in Kleine-Levin syndrome, 97

H

Hallucinations, hypnagogic or hypnopompic, in narcolepsy, 49
 in Kleine-Levin syndrome, 94
 HLA. *See* Human leukocyte antigen.
 Homeostatic influences, contributing to sleepiness in children, 107
 Hormonal tests, for Kleine-Levin syndrome, 96
 Human leukocyte antigen (HLA), immune system and, in pathophysiology of narcolepsy, 51
 in assessment of narcolepsy patients, 50
 in Kleine-Levin syndrome, 97–98

Hyperactivity, effects of sleepiness in children on, 111
 Hypersexuality, in Kleine-Levin syndrome, 94–95
 Hypersomnia, chronic, 79–88
 caused by a medical condition, 85–86
 following infection, 86
 posttraumatic, 85–86
 idiopathic, clinical signs, 80–81
 differential diagnosis, 50, 84–85
 epidemiology, 80
 history, 79–80
 pathophysiology, 83
 polysomnography and other findings, 81
 treatment, 85
 nonorganic, 86
 in Kleine-Levin syndrome, 93
 poststroke, 139–155
 clinical features of, 144–147
 fatigue, 144
 stroke topography and, 144–147
 varieties of, 144
 epidemiology of, 142–144
 historical remarks, 140
 neuroanatomy and physiology of wakefulness and sleep, 140–142
 pathophysiology of, 142
 sleep-wake studies in, 147–151
 treatment and prognosis in, 151
 Hypnagogic hallucinations, in narcolepsy, 49
 Hypnopompic hallucinations, in narcolepsy, 49
 Hypocretin-1, cerebrospinal fluid levels of, in narcolepsy patients, 50
 deficiency in transmission of, in narcolepsy patients, 51–52
 sleep regulation and, 53–55
 Hypoxemia, and excessive daytime sleepiness in obstructive sleep apnea, 65

I

Idiopathic hypersomnia. *See* Hypersomnia, idiopathic.
 Immune system, and HLA, in pathophysiology of narcolepsy, 51
 Impulsivity, effects of sleepiness in children on, 111
 Inattention, effects of sleepiness in children on, 111–112
 Infections, hypersomnia due to, 86
 Insomnia, 36–38
 Insufficient sleep, 38
 Irregular sleep-wake syndrome, 25–26
 Irritability, in Kleine-Levin syndrome, 95

J

Jet lag, sleepiness due to, 23–24

K

- Karolinska Sleepiness Scale, 122
- Kleine-Levin syndrome, 89–103
 - burden of disease, 91–92
 - clinical presentation, 92–96
 - cognitive disturbances, 94
 - derealization, hallucination, and delusion, 94
 - eating behavior disorders, 94
 - hypersexuality, 94–95
 - hypersomnia, 93
 - mood disorders and irritability, 95
 - other compulsive behaviors, 95
 - signs of autonomic dysfunction, 95–96
- diagnostic criteria, 90
- diagnostics, 96–98
 - blood tests, 96
 - cerebrospinal fluid analysis, 96
 - CT and MRI brain imaging, 97
 - electroencephalograms, 96
 - genetics, 97
 - hormonal tests, 96
 - human leukocyte antigen (HLA), 97–98
 - SPECT, 97
- epidemiology, 90
- triggering factors and recurrence, 91

L

- Learning, effects of sleepiness in children on, 112
- Long sleepers, sleep-deprived, *versus* idiopathic hypersomnia, 84
- Loss, of sleep. *See* Sleep loss.

M

- Magnetic resonance imaging (MRI), brain imaging in
 - Kleine-Levin syndrome, 97
- Maintenance of Wakefulness Test, 5–6, 34–35, 68
- Medical conditions, hypersomnia due to, 85–86
 - following infection, 86
 - posttraumatic, 85–86
- Medical disorders, sleep loss due to, 40
- Memory, effects of sleepiness in children on, 112
- Modafinil, for excessive daytime sleepiness secondary to obstructive sleep apnea syndrome, 72–73
 - for narcolepsy, 55–57
 - in children, 113
- Mood disorders, in Kleine-Levin syndrome, 95
 - sleepiness in children with, 110
- Mortality, excessive daytime sleepiness and, 14
- Motor vehicle accidents, impact of excessive daytime sleepiness due to obstructive sleep apnea syndrome on, 69
- Multiple Sleep Latency Test, 3–5, 34, 66–68, 81, 106–107, 122

N

- Narcolepsy, 47–61
 - evaluation of, 49–50
 - cerebrospinal fluid hypocretin-1 assessment, 50
 - HLA testing, 50
 - polysomnography, 49–50
 - future directions, 58
 - in children, 109
 - pathophysiology of, 50–55
 - deficiency in hypocretin (orexin) transmission in, 51–53
 - HLA and immune system in, 51
 - hypocretin-orexin system and sleep regulation, 53–55
 - symptoms of, 47–49
 - cataplexy, 49
 - hypnagogic or hypnopompic hallucinations, 49
 - sleep paralysis, 49
 - sleepiness or excessive daytime sleepiness, 49
 - treatment of, 55–58
 - versus* idiopathic hypersomnia, 84–85
- Nasal continuous positive airway pressure, for excessive daytime sleepiness due to obstructive sleep apnea syndrome, 70–71
- Neuroanatomy, of wakefulness and sleep, 140–142
- Neurocognitive function, effects of sleepiness in
 - children on, 111–112
- Neurologic disorders, sleep loss due to, 40
- Neuromuscular disorders, excessive daytime sleepiness in, 119–125
 - differential diagnosis of, 120–122
 - central nervous system dysfunction, 121–122
 - other factors, 122
 - sleep-disordered breathing, 120–121
 - evaluation of, 122–123
 - treatment of, 123
- Nocturnal polysomnography, in narcolepsy
 - evaluation, 49–50
- Non-24-hour sleep-wake syndrome, 25
- Nonorganic hypersomnia, 86
 - versus* idiopathic hypersomnia, 85
- North American studies, on prevalence of excessive daytime sleepiness, 13

O

- Obesity, and excessive daytime sleepiness due to obstructive sleep apnea syndrome, 70
- Obstructive sleep apnea syndrome, excessive daytime sleepiness in, 63–78
 - consequences of sleepiness in, 69–70
 - cognitive decline, 70
 - motor vehicle accidents, 70
 - obesity and, 70
 - quality of life, 69

- measures of sleepiness in, 66–69
 - Epsworth Sleepiness Scale, 68–69
 - Maintenance of Wakefulness Test, 68
 - Multiple Sleep Latency Test, 66–68
 - Psychomotor Vigilance Task, 68
 - Stanford Sleepiness Scale, 69
 - pathophysiology of, 64–66
 - apnea-hypopnea index and, 64
 - arousals and, 64
 - autonomic activation and, 65
 - cyclic alternating pattern, 65–66
 - hypoxemia and, 65
 - respiratory cycle-related EEG change, 66
 - slow wave activity and, 64–65
 - snoring and, 65
 - treatment options for sleepiness in, 70–73
 - modafinil, 72–73
 - nasal continuous positive airway pressure, 70–71
 - residual daytime sleepiness, 71–72
 - Orexin. *See* Hypocretin-1.
- P**
- Pain, excessive daytime sleepiness due to, *versus* idiopathic hypersomnia, 85
 - Paralysis, sleep, in narcolepsy, 49
 - Parasomnias, in children, 109
 - Parkinson's disease, sleepiness and, 127–137
 - epidemiology and characteristics of, 128–130
 - etiology of, 130–133
 - management of, 133–134
 - Pediatrics, excessive daytime sleepiness in children, 105–118
 - contributors to, 107–110
 - circadian influences, 107
 - environmental influences, 107
 - homeostatic influences, 107
 - physiologic contributors, 108
 - social and psychosocial influences, 107–108
 - definition of, 106
 - effects of, 110–112
 - behavior, 111
 - learning, memory, and academic performance, 112
 - neurocognitive function, 111–112
 - other daytime sequelae, 112
 - how it impairs daytime function, 112–113
 - as a direct contributor, 112–113
 - disruption to development of prefrontal cortex, 113
 - physiologic markers, 113
 - sleep continuity hypothesis, 113
 - measurement of, 106–107
 - secondary to other disorders or illness, 109–110
 - attention deficit hyperactivity disorder, 109–110
 - developmental disabilities, 109
 - mood disorders, 110
 - other syndromes and illnesses, 110
 - sleep disorders in, 108–109
 - behavioral sleep disorders, 109
 - circadian disorders, 109
 - narcolepsy, 109
 - parasomnias, 109
 - restless legs, 109
 - sleep-disordered breathing, 108
 - treatment options, 113–115
 - Performance tests, in investigation of sleepiness, 6
 - Performance, in the workplace, shift work sleep disorder and, 21–22
 - Periodic leg movements in sleep, relation to daytime alertness and sleepiness, 157–163
 - definition and measurement, 157–159
 - Periodic limb movement disorder, *versus* idiopathic hypersomnia, 84–85
 - Pharmacologic treatment, of narcolepsy, 56–58
 - Polysomnography, in idiopathic hypersomnia, 81
 - in narcolepsy evaluation, 49–50
 - Poststroke hypersomnia, 139–155
 - clinical features of, 144–147
 - fatigue, 144
 - stroke topography and, 144–147
 - varieties of, 144
 - epidemiology of, 142–144
 - historical remarks, 140
 - neuroanatomy and physiology of wakefulness and sleep, 140–142
 - pathophysiology of, 142
 - sleep-wake studies in, 147–151
 - treatment and prognosis in, 151
 - Posttraumatic hypersomnia, 85–86
 - Prevalence, of excessive daytime sleepiness, 10–13
 - Psychomotor Vigilance Task, 35, 68
 - Psychosocial influences, contributing to sleepiness in children, 107–108
- Q**
- Quality of life, impact of obstructive sleep apnea syndrome on, 69
 - Questionnaires, for screening and evaluating sleepiness, 35–36
 - in children, 106
- R**
- Residual daytime sleepiness, in patients with obstructive sleep apnea syndrome, 71–72
 - Respiratory cycle-related EEG change, and excessive daytime sleepiness in obstructive sleep apnea, 66

- Restless legs syndrome, in children, 109
 relation to daytime alertness and sleepiness, 157–163
- Risk-taking behavior, effects of sleepiness in children on, 111
- S**
- Scales, for sleepiness, 3
- Sexual behaviors, hypersexuality in Kleine-Levin syndrome, 94–95
- Shift work sleep disorder, 18–22
 performance and accidents at work, 21–22
 physiologic alertness, 19–20
 sleep in, 22–23
 subjective alertness, 20–21
- Single-photon emission computed tomography (SPECT), brain imaging in Kleine-Levin syndrome, 97
- Sleep apnea. *See* Obstructive sleep apnea syndrome.
- Sleep continuity hypothesis, 113
- Sleep deprivation, and sleepiness caused by sleep loss, 31–45
 evaluating and quantifying sleepiness, 34–36
 interactions between clinical sleep disorders and, 36–40
 research on, 31–34
- Sleep fragmentation, 38–39
- Sleep loss, sleep deprivation and sleepiness caused by, 31–45
 evaluating and quantifying sleepiness, 34–36
 Maintenance of Wakefulness Test, 34–35
 Multiple Sleep Latency Test, 34
 Psychomotor Vigilance Test, 35
 questionnaires, 35–36
 interactions between clinical sleep disorders and, 36–40
 circadian rhythm disorders, 38
 insomnia, 36–38
 insufficient sleep and voluntary sleep restriction, 38
 neurologic and medical disorders, 40
 sleep fragmentation, 38–39
 research on, 31–34
 animal studies, 31–33
 human studies, 33–34
- Sleep paralysis, in narcolepsy, 49
- Sleep-disordered breathing, in children, 108
 in patients with neuromuscular disorders, 120–121
 central sleep apnea, 120–121
 obstructive sleep apnea-hypopnea, 120
 other factors in sleep disruption, 121
 sleep-related hypoventilation, 121
- Sleep-Wake Activity Inventory, 36
- Sleep-wake studies, in poststroke hypersomnia, 147–151
- Sleepiness, excessive daytime, 1–163
 caused by sleep deprivation and sleep loss, 31–45
 evaluating and quantifying sleepiness, 34–36
 interactions between clinical sleep disorders and sleep loss, 36–40
 research on, 31–34
 causes of, 2
 chronic hypersomnia, 79–88
 caused by a medical condition, 85–86
 idiopathic, 79–85
 nonorganic, 86
 circadian rhythm sleep disorders, 17–30, 38
 advanced sleep phase syndrome, 25
 delayed sleep phase syndrome, 24–25
 irregular sleep-wake syndrome, 25–26
 jet lag, 22–24
 non-24-hour sleep-wake syndrome, 25
 shift work sleep disorder, 18–22
 epidemiology of, 9–16
 assessment of, in general population, 9, 13
 cognitive deficits and, 13–14
 factors associated with, 14
 mortality and, 14
 prevalence of, in general population, 10–13
 European studies, 13
 North American studies, 13
 South American studies, 13
 in children, 105–118
 contributors to, 107–110
 definition of, 106
 effects of, 110–112
 how it impairs daytime function, 112–113
 measurement of, 106–107
 treatment options, 113–115
 in neuromuscular disorders, 119–125
 differential diagnosis of, 120–122
 central nervous system dysfunction, 121–122
 other factors, 122
 sleep-disordered breathing, 120–121
 evaluation of, 122–123
 treatment of, 123–
 investigation of, 1–7
 clinical approach, 2
 Maintenance of Wakefulness Test, 5–6
 Multiple Sleep Latency Test, 3–5
 other tests, 6
 performance testing, 6
 polysomnography, 3
 sleepiness scales, 3
 Kleine-Levin syndrome and, 89–103
 burden of disease, 91–92
 clinical presentation, 92–96
 diagnostic criteria, 90
 epidemiology, 90
 pathophysiology, 96–98
 triggering factors and recurrence, 91
 narcolepsy and, 47–61
 evaluation of, 49–50

- future directions, 58
 - pathophysiology of, 50–55
 - symptoms of, 47–49
 - treatment of, 55–58
 - obstructive sleep apnea syndrome and, 63–78
 - consequences of sleepiness in, 69–70
 - measures of sleepiness in, 66–69
 - pathophysiology of sleepiness in, 64–66
 - treatment options for sleepiness in, 70–73
 - Parkinson's disease and, 127–137
 - epidemiology and characteristics of sleepiness in, 128–130
 - etiology of sleepiness in, 130–133
 - management of sleepiness in, 133–134
 - periodic leg movements in sleep in relation to, 157–163
 - poststroke hypersomnia, 139–155
 - clinical features of, 144–147
 - fatigue, 144
 - stroke topography and, 144–147
 - varieties of, 144
 - epidemiology of, 142–144
 - historical remarks, 140
 - neuroanatomy and physiology of wakefulness and sleep, 140–142
 - pathophysiology of, 142
 - sleep-wake studies in, 147–151
 - treatment and prognosis in, 151
 - restless legs syndrome in relation to, 157–163
 - Slow wave activity, and excessive daytime sleepiness in obstructive sleep apnea, 64–65
 - Snoring, and excessive daytime sleepiness in obstructive sleep apnea, 65
 - Social influences, contributing to sleepiness in children, 107–108
 - South American studies, on prevalence of excessive daytime sleepiness, 13
 - Stanford Sleepiness Scale, 35, 69, 106, 122
 - Stimulants, in narcolepsy treatment, 56–58
 - Stroke, poststroke hypersomnia, 139–155
 - clinical features of, 144–147
 - fatigue, 144
 - stroke topography and, 144–147
 - varieties of, 144
 - epidemiology of, 142–144
 - historical remarks, 140
 - neuroanatomy and physiology of wakefulness and sleep, 140–142
 - pathophysiology of, 142
 - sleep-wake studies in, 147–151
 - treatment and prognosis in, 151
 - Substance abuse, hypersomnia due to, *versus* idiopathic hypersomnia, 85
- U**
- Upper airway resistance syndrome, *versus* idiopathic hypersomnia, 84
- V**
- Viral infections, hypersomnia due to, 86
 - Voluntary sleep restriction, 38
- W**
- Work, shift work sleep disorder and, 18–22
 - performance and accidents at work, 21–22