

Index

Note: Page numbers of article titles are in **boldface** type.

A

- Actigraphy, in diagnosis of nocturnal movements, 362
- Action potential, of a neuron, 324
- Airflow measurement, in diagnosis of
 - sleep-disordered breathing, 353–354
 - nasal pressure cannula, 354
 - pneumotachograph, 354
 - thermal technology, 353–354
 - in polysomnography, 337
- Airflow monitoring, in pediatric polysomnography, 399
- Ambulatory polysomnography, pediatric, 398
- Amplifiers, differential, and associated filters, 328–331
- Anxiety disorders, and treatments for, polysomnographic features of, 412–413
- Apnea. *See* Sleep apnea.
- Architecture, sleep, drug effects on, 410–411
 - in pediatric polysomnography scoring, 402–404
- Arousals, confusional, nocturnal movement in, 365
 - in pediatric polysomnography scoring, 404
- Arterial blood gas, measurement of gas exchange with, 356
- Artifacts, on polysomnography, **423–436**
 - identifying, 423–424
 - nonphysiologic, 424–426
 - at 60Hz, 424
 - channel blocking, 426
 - electrode popping, 424–425
 - electromagnetic interference, 424
 - equipment malfunction, 426
 - implanted medical device, 426
 - moisture artifact, 425–426
 - optimizing analysis, 434–436
 - channel inversion, 435
 - electrode selector feature, 434
 - filters and sensitivity, 434
 - montage display, 435
 - physiologic, 426–433
 - electrocardiogram artifact, 429–430
 - eye movement artifact, 431
 - movement intrusion, 428–429
 - muscle intrusion, 426–428
 - sweat sway, 431–433
 - troubleshooting, 433–434

B

- Balloons, esophageal pressure measurement of respiratory effort with, 355
- Benign epilepsy of childhood, with centrotemporal spikes, nocturnal movement in, 367–368
- Benign sleep myoclonus of infancy, nocturnal movement in, 369
- Bilevel positive airway pressure, manual titration of, in patients with obstructive sleep apnea, **445–455**
- Bipotentials, recording of, 325–326
- Body position, in pediatric polysomnography, 402
- Brain activity, history of physiologic recordings of, 313
 - laboratory assessment of psychiatric/neurologic disease by monitoring during sleep, future of, 458–459
- Breathing disorders, sleep-related, nocturnal movement in, 370
- Bruxism, sleep-related, diagnostic features, 364
 - polysomnographic findings, 364

C

- Capnometry, in pediatric polysomnography, 401–402
- Carbon dioxide, gas exchange measurement, 356
 - arterial blood gas, 356
 - end tidal, 356
 - transcutaneous, 356
- Cardiac monitoring, during sleep, **373–384**
 - clinical scenarios, 377–380
 - Cheyne-Stokes breathing, 378–380
 - obstructive sleep apnea, 377–378
 - risk of sudden cardiac death, 377
 - normal cardiac rhythm changes during sleep, 374–377
 - standardized methods, 380–381
 - data acquisition and display, 380–381
 - reporting cardiac activity, 381
 - scoring of cardiac events, 381
- Cardiac rhythm evaluation, during sleep, by electrocardiography, 338–339
- Cardiovascular disease, and treatments for, polysomnographic features of, 415–416
- Central apnea, pediatric, polysomnography for, 395–396
- Central hypoventilation syndrome, pediatric, polysomnography for, 395–396

- Channel blocking, artifacts on polysomnography due to, 426
- Channel inversion, avoiding polysomnography artifacts with, 435
- Cheyne-Stokes breathing, cardiac monitoring during polysomnography in patients with, 378–380
- Choking, sleep-related abnormal, 371
- Circadian testing, future of, 461–462
- Confusional arousals, nocturnal movement in, 365
- Continuous positive airway pressure, manual titration of, in patients with obstructive sleep apnea, **445–455**
pediatric ventilator titration studies, 397
- D**
- Daytime sleepiness, excessive, pediatric, polysomnography for, 397–398
- Death, sudden cardiac, risk of, cardiac monitoring during polysomnography, 377
- Dementia, and treatments for, polysomnographic features of, 415
- Diaphragmatic electromyography, measurement of respiratory effort with, 355–356
- Differential amplifiers, and associated filters, 328–331
- Differential diagnosis, of nocturnal movements, 362
- Drugs, pharmaceutical, effects on sleep architecture, 410–411
sleep-related movement disorders related to, 364
- E**
- Eating disorder, sleep-related, nocturnal movement in, 366
- Effort, respiratory, measurement of, in diagnosis of sleep-disordered breathing, 354–356
diaphragmatic EMG, 355–356
esophageal pressure measurement, 355
piezoelectric sensors, 355
respiratory inductance plethysmography, 355
- Electrocardiography (ECG, EKG), advanced signal processing in, 357
artifacts on, 429–430
cardiac rhythm evaluation by, 338–339
of sleep, 327–328
- Electrode popping, artifacts on polysomnography due to, 424–425
- Electrode selector feature, avoiding polysomnography artifacts with, 434
- Electrodes, in polysomnography, **333–341**
airflow measurement, 337
cardiac rhythm evaluation, 338–339
electro-oculography, 335–336
electroencephalogram and the 10-20 electrode system, 333–335
electromyogram, 336–337
other monitoring devices, 339–340
oxygen saturation, 339
respiratory effort measurement, 337–338
sleep system modifications, 340
- Electroencephalography (EEG), 10-20 electrode system and, 333–335
monitoring in pediatric polysomnography, 399
of sleep, 326–327
- Electromagnetic interference, artifacts on polysomnography due to, 424
- Electromyography (EMG), diaphragmatic, measurement of respiratory effort with, 355–356
electrodes for, 336–337
of sleep, 327–328
- Electro-oculography (EOG), electrodes for, 335–336
of sleep, 327–328
- End tidal carbon dioxide, measurement of gas exchange with, 356
- Epilepsy, nocturnal movements in, 366–368
benign, of childhood, 367–368
early or late onset occipital, 368
juvenile myoclonic, 368
nocturnal frontal lobe, 367
sleep-related, 366–367
- Esophageal pH, in pediatric polysomnography, 402
- Esophageal pressure measurement, in measurement of respiratory effort, 355
- Excessive daytime sleepiness, pediatric, polysomnography for, 397–398
testing for, **385–393**
alternative tests of sleepiness, 392
clinical history, 385–386
maintenance of wakefulness test, 390–391
multiple sleep latency test, 386–390
polysomnography, 386
potential applications of tests, 391–392
- Eye movement, artifact on polysomnography due to, 430
- F**
- Filters, avoiding polysomnography artifacts with, 434
differential amplifiers and, 328–331
- Fluid-filled catheters, esophageal pressure measurement of respiratory effort, 355
- Foot tremor, hypnagogic, and alternating leg muscle activation during sleep, 369
- Fragmentary myoclonus, excessive, 370
- Future, of sleep testing, **457–465**
circadian testing, 461–462
genetic testing, 463–464
imaging in, 459–460
in the home, 462–463
diagnostic testing, 463
screening for sleep disorders, 463
sleep monitoring, 463

- in the sleep laboratory, 457–459
 - assessing psychiatric/neurological disease, 458–459
 - phenotyping, 458
 - sleep disorders, 457–458
 - sleep deprivation and performance, 462
- G**
- Gas exchange measurement, in diagnosis of sleep-disordered breathing, 356
 - carbon dioxide, 356
 - arterial blood gas, 356
 - end tidal, 356
 - transcutaneous, 356
 - oxygen, 356
 - arterial blood gas, 356
 - pulse oximetry, 356
 - transcutaneous oximetry, 356
 - Gastrointestinal disease, and treatments for, polysomnographic features of, 416
 - Genetic testing, for sleep disorders, future of, 463–464
- H**
- History, clinical, in diagnosis of nocturnal movements, 361
 - of polysomnography, **313–321**
 - from recording to scoring sleep, 316
 - development of new scoring manual, 316
 - Rechtschaffen and Kales Manual, 316
 - of sleep staging, 343–344
 - parallel growth of field of sleep technology, 318–319
 - recording sleep, 313–315
 - physiologic recordings of brain, 313
 - physiologic recordings of sleep, 313–315
 - role in development of sleep medicine, 316–318
 - barriers to use of, 318
 - growth of clinical application, 318
 - narcolepsy, 316–317
 - sleep apnea, 317–318
 - Stanford Narcolepsy Clinic, 317
 - Home, sleep testing in, future of, 462–463
 - diagnostic testing, 463
 - screening for sleep disorders, 463
 - sleep monitoring, 463
 - Hypnagogic foot tremor, and alternating leg muscle activation during sleep, 369
- I**
- Imaging, in sleep medicine, future of, 459–461
 - Implanted medical devices, artifacts on polysomnography due to, 426
 - Infancy. *See also* Pediatrics.
 - benign sleep myoclonus of, nocturnal movement in, 369
 - Ion channels, of the neuron, 324
- J**
- Juvenile myoclonic epilepsy, nocturnal movement in, 368
- L**
- Laboratory, sleep, creating a child-friendly, 398–399
 - future of testing in, 457–459
 - assessing psychiatric/neurological disease, 458–459
 - phenotyping, 458
 - sleep disorders, 457–458
 - Landau-Kleffner syndrome, nocturnal movement in, 368
 - Laryngospasm, sleep-related abnormal, 371
 - Leg cramps, sleep-related, diagnostic features, 363
 - polysomnographic findings, 363
 - Leg muscle activation, alternating, during sleep, hypnagogic foot tremor and, 369
 - Lung disease, chronic pediatric, polysomnography for, 396
- M**
- Maintenance of wakefulness test, for excessive daytime sleepiness, 390–391
 - case study, 391
 - potential applications of, 391–392
 - Malfunction, equipment, artifacts on polysomnography due to, 426
 - Medical devices, implanted, artifacts on polysomnography due to, 426
 - Medical disorders, and treatments for, polysomnographic features of, 415–417
 - cardiovascular disease, 415–416
 - common medications, 416–417
 - gastrointestinal disorders, 416
 - renal disease, 416
 - rheumatologic illness, 416
 - sleep-related movement disorders related to, 364
 - Medications, effects on sleep architecture, 410–411
 - Millar catheters, esophageal pressure measurement of respiratory effort, 355
 - Moisture, artifacts on polysomnography due to, 425–426
 - Monitoring. *See also* Polysomnography.
 - cardiac, **373–384**
 - portable, **437–444**
 - considerations for usage, 441–443

Monitoring (*continued*)

- diagnostic accuracy, 438–441
 - outcome studies using, 441
 - timeline of, 437–438
 - sleep, in the home, future of, 463
 - Montage display, avoiding polysomnography artifacts with, 435–436
 - Mood disorders, and treatments for, polysomnographic features of, 411–412
 - Movement artifact, on polysomnography, 428–429
 - Movements, body, in sleep staging, 349–350
 - nocturnal, differentiation of, **361–372**
 - approaching the diagnosis of, 361–362
 - actigraphy and polysomnography, 362
 - clinical history, 361
 - physical examination, 361–362
 - constructing a differential diagnosis, 362
 - important diagnostic features and criteria, 362–364
 - drugs and substances, 364
 - medical conditions, 364
 - sleep-related movement disorders, 362–364
 - miscellaneous symptoms and conditions, 368–371
 - benign sleep myoclonus of infancy, 369
 - excessive fragmentary myoclonus, 370
 - hypnagogic foot tremor and alternating leg muscle activation during sleep, 369
 - propriospinal myoclonus at sleep onset, 369–370
 - sleep starts, 368–369
 - sleep-related abnormal swallowing, 371
 - sleep-related breathing disorders, 370
 - sleep disorders, 365–368
 - neurologic disorders, 366–368
 - parasomnias, 365–366
- Multiple sleep latency test, for excessive daytime sleepiness, 386–390
 - case study, 389–390
 - potential applications of, 391–392
- Muscle intrusion, artifacts on polysomnography due to, 426–428
- Myoclonus, benign sleep, of infancy, nocturnal movement in, 369
 - excessive fragmentary, 370
 - propriospinal, at sleep onset, 369–370

N

- Narcolepsy, history of polysomnography in, 316–317
 - Stanford Narcolepsy Clinic, 317
- Nasal pressure cannula, airflow measurement using, 354
- Neurodegenerative disorders, and treatments for, polysomnographic features of, 415

- Neurologic disorders, and treatments for, polysomnographic features of, 414–415
 - dementias and other neurodegenerative disorders, 415
 - Parkinson's disease, 414–415
 - seizure disorders, 414
- nocturnal movements in, 366–368
 - benign epilepsy of childhood, 367–368
 - continuous spike waves during non-rapid eye movement sleep, 368
 - early or late onset occipital epilepsy, 368
 - juvenile myoclonic epilepsy, 368
 - Landau-Kleffner syndrome, 368
 - nocturnal frontal lobe epilepsy, 367
 - sleep-related epilepsies, 366–367
- Neurological disease, laboratory assessment by monitoring brain activity during sleep, future of, 458–459
- Neuromuscular disorders, pediatric, polysomnography for, 396
- Neuron, physical and electrical properties, 323–325
- Neurotransmitters, 325
- Nightmare disorder, nocturnal movement in, 366
- Nocturnal frontal lobe epilepsy, nocturnal movement in, 367
- Nocturnal movements. *See* Movements, nocturnal.
- Non-rapid eye movement sleep, continuous spike waves during, nocturnal movement in, 368
 - in sleep staging, 346–348
 - stage N1 sleep, 346
 - stage N2 sleep, 346–348
 - stage N3 sleep, 348

O

- Obstructive sleep apnea, cardiac monitoring during polysomnography in patients with, 377–378
 - manual titration of positive airway pressure in, **445–455**
 - bilevel positive airway pressure titration guidelines, 449–450
 - continuous positive airway pressure titration guidelines, 449
 - general recommendations for, 447–449
 - guidelines for grading of positive airway pressure titration studies, 450
 - identifying and managing unintentional mask leaks, 450–451
 - positional and sleep stage factors, 451–454
 - pediatric, polysomnography for, 395
 - portable monitoring for, 437–443
- Occipital epilepsy, early of late onset, nocturnal movement in, 368
- Onset, of sleep, problem of, in sleep staging, 346
- Oxford Sleep Resistance Test, 392
- Oximetry, in pediatric polysomnography, 399

Oxygen, gas exchange measurement, 356
 arterial blood gas, 356
 pulse oximetry, 356
 transcutaneous oximetry, 356

P

- Parasomnias, nocturnal movements in, 365–366
 confusional arousals, 365
 nightmare disorder, 366
 rapid eye movement sleep behavior disorder, 365–366
 sleep terrors, 365
 sleep-related eating disorder, 366
 sleepwalking, 365
 pediatric, polysomnography for, 397
- Parkinson's disease, and treatments for, polysomnographic features of, 414–415
- Pediatrics, benign epilepsy of childhood with centrottemporal spikes, nocturnal movement in, 367–368
 benign sleep myoclonus of infancy, nocturnal movement in, 369
 juvenile myoclonic epilepsy, nocturnal movement in, 368
 polysomnography, **395–408**
 clinical implications of scoring, 406–407
 creating a child-friendly laboratory, 398–399
 indications for, 395–398
 ambulatory and unattended polysomnography, 398
 central apnea, periodic breathing, and central hypoventilation syndromes, 395–396
 chronic lung disease, 396
 continuous positive airway pressure ventilator titration studies, 397
 excessive daytime sleepiness, 397–398
 neuromuscular disorders, 396
 obstructive sleep apnea syndrome, 395
 parasomnias, 397
 restless legs syndrome and periodic limb movement disorder, 397
 tracheostomy decannulation, 397
 reproducibility of results, 406
 scoring, 402–405
 arousals, 404
 respiratory, 404–405
 sleep architecture, 402–404
 techniques, 399–402
 airflow monitoring, 399
 body position, 402
 capnometry, 401–402
 EEG monitoring, 399
 esophageal pH, 402
 oximetry, 399
 respiratory effort, 402
 videotaping, 402
 sleep staging considerations in, 350
- Performance, sleep deprivation and, future of testing for, 462
- Periodic breathing, pediatric, polysomnography for, 395–396
- Periodic limb movement disorder, diagnostic features, 362–363
 pediatric, polysomnography for, 397
 polysomnographic findings, 363
- Peripheral arterial tonometry, assessment of, in sleep-disordered breathing, 357–358
- Phenotyping, in the sleep laboratory, future of, 458
- Physical examination, in diagnosis of nocturnal movements, 361–372
- Piezoelectric sensors, in measurement of respiratory effort, 355
- Plethysmography, respiratory inductance, in measurement of respiratory effort, 355
- Pneumotachograph, airflow measurement using, 354
- Polysomnography, artifacts, **423–436**
 identifying, 423–424
 nonphysiologic, 424–426
 optimizing analysis, 434–436
 physiologic, 426–433
 troubleshooting, 433–434
- cardiac monitoring during sleep, **373–384**
 clinical scenarios, 377–380
 normal cardiac rhythm changes during sleep, 374–377
 standardized methods, 380–381
- electrodes, recording systems, and specifications for, **333–341**
 airflow measurement, 337
 cardiac rhythm evaluation, 338–339
 electro-oculography, 335–336
 electroencephalogram and the 10-20 electrode system, 333–335
 electromyogram, 336–337
 other monitoring devices, 339–340
 oxygen saturation, 339
 respiratory effort measurement, 337–338
 sleep system modifications, 340
- features of medical and psychiatric disorders and their treatments on, **409–421**
 drug effects on sleep architecture, 410–411
 medical disorders, 415–417
 neurologic disorders, 414–415
 psychiatric disorders, 411–414
 for excessive daytime sleepiness, **385–393**
 alternative tests of sleepiness, 392
 clinical history, 385–386
 maintenance of wakefulness test, 390–391
 multiple sleep latency test, 386–390
 potential applications of tests, 391–392
 future of sleep testing, **457–465**

- Polysomnography (*continued*)
- circadian testing, 461–462
 - genetic testing, 463–464
 - imaging in, 459–460
 - in the home, 462–463
 - in the sleep laboratory, 457–459
 - sleep deprivation and performance, 462
 - generating a signal, **323–331**
 - differential amplifier and associated filters, 328–331
 - electroencephalography of sleep, 326–327
 - electromyogram, electrooculogram, and EKG of sleep, 327–328
 - neuron, physical and electrical properties of, 323–325
 - recording bipotentials, 325–326
 - history of, **313–321**
 - from recording to scoring sleep, 316
 - parallel growth of field of sleep technology, 318–319
 - recording sleep, 313–315
 - role in development of sleep medicine, 316–318
 - barriers to use of, 318
 - growth of clinical application, 318
 - narcolepsy, 316–317
 - sleep apnea, 317–318
 - Stanford Narcolepsy Clinic, 317
 - manual titration of positive airway pressure in obstructive sleep apnea, **445–455**
 - bilevel positive airway pressure titration guidelines, 449–450
 - continuous positive airway pressure titration guidelines, 449
 - general recommendations for, 447–449
 - guidelines for grading of positive airway pressure titration studies, 450
 - identifying and managing unintentional mask leaks, 450–451
 - positional and sleep stage factors, 451–454
 - nocturnal movements, differentiation of, **361–372**
 - approaching the diagnosis of, 361–362
 - constructing a differential diagnosis, 362
 - important diagnostic features and criteria, 362–364
 - drugs and substances, 364
 - medical conditions, 364
 - sleep-related movement disorders, 362–364
 - miscellaneous symptoms and conditions, 368–371
 - benign sleep myoclonus of infancy, 369
 - excessive fragmentary myoclonus, 370
 - hypnagogic foot tremor and alternating leg muscle activation during sleep, 369
 - proprio-spinal myoclonus at sleep onset, 369–370
 - sleep starts, 368–369
 - sleep-related abnormal swallowing, 371
 - sleep-related breathing disorders, 370
 - sleep disorders, 365–368
 - neurologic disorders, 366–368
 - parasomnias, 365–366
 - pediatric, **395–408**
 - clinical implications of scoring, 406–407
 - creating a child-friendly laboratory, 398–399
 - indications for, 395–398
 - reproducibility of results, 406
 - scoring, 402–405
 - techniques, 399–402
 - portable monitoring, **437–444**
 - considerations for usage, 441–443
 - diagnostic accuracy, 438–441
 - outcome studies using, 441
 - timeline of, 437–438
 - respiratory monitoring, **353–360**
 - airflow measurement, 353–354
 - definitions, 358–359
 - effort measurement, 354–356
 - gas exchange measurement, 356
 - new applications of old technology, 357
 - new technology, 357–358
 - staging sleep, **343–352**
 - derivations and montages, 344–345
 - future trends, 350
 - historic survey, 343–344
 - major body movements, 349–350
 - pediatric considerations, 350
 - terminology and scoring principles, 345–349
 - non-rapid eye movement sleep, 346–348
 - rapid eye movement sleep, 348–349
 - wakefulness, 345–346
- Polyvinyl fluoride film airflow sensors, 354
- Portable monitoring, for polysomnography, **437–444**
- considerations for usage, 441–443
 - diagnostic accuracy, 438–441
 - outcome studies using, 441
 - timeline of, 437–438
- Position, body, in pediatric polysomnography, 402
- Positive airway pressure, manual titration of, in obstructive sleep apnea, **445–455**
- bilevel positive airway pressure titration guidelines, 449–450
 - continuous positive airway pressure titration guidelines, 449
 - general recommendations for, 447–449
 - guidelines for grading of positive airway pressure titration studies, 450
 - identifying and managing unintentional mask leaks, 450–451
 - positional and sleep stage factors, 451–454
- Proprio-spinal myoclonus, at sleep onset, 369–370
- Psychiatric disorders, and treatments for, polysomnographic features of, 411–414

- anxiety disorders, 412–413
- mood disorders, 411–412
- psychotic disorders, 413–414
- laboratory assessment by monitoring brain activity during sleep, future of, 458–459
- Psychotic disorders, and treatments for, polysomnographic features of, 413–414
- Pulse oximetry, advanced signal processing in, 357
- measurement of gas exchange with, 356
- Pulse transit time, assessment of, in sleep-disordered breathing, 357
- Pupillometry, 392

R

- Rapid eye movement sleep, in sleep staging, 348–349
- Rapid eye movement sleep behavior disorder, nocturnal movement in, 365–366
- Rechtschaffen and Kales Manual, 316
- Recording systems, for sleep. *See* Polysomnography.
- Renal disease, and treatments for, polysomnographic features of, 416
- Reproducibility, of pediatric polysomnography results, 406
- Respiratory effort, in pediatric polysomnography, 402
- measurement in polysomnography, 337–338
- Respiratory inductance plethysmography, in measurement of respiratory effort, 355
- Respiratory monitoring, in diagnosis of sleep-disordered breathing, **353–360**
 - airflow measurement, 353–354
 - nasal pressure cannula, 354
 - pneumotachograph, 354
 - thermal technology, 353–354
- definitions, 358–359
- effort measurement, 354–356
 - diaphragmatic EMG, 355–356
 - esophageal pressure measurement, 355
 - piezoelectric sensors, 355
 - respiratory inductance plethysmography, 355
- gas exchange measurement, 356
 - carbon dioxide, 356
 - oxygen, 356
- new applications of old technology, 357
 - advanced signal processing of ECG, 357
 - advanced signal processing of pulse oximetry, 357
- new technology, 357–358
 - peripheral arterial tonometry, 357–358
 - pulse transit time, 357
- Respiratory scoring, in pediatric polysomnography, 404–405
- Restless legs syndrome, pediatric, polysomnography for, 397
- Rheumatologic illness, and treatments for, polysomnographic features of, 416
- Rhythmic movement disorders, sleep-related, diagnostic features, 364
- polysomnographic features, 364

S

- Scoring, polysomnography, pediatric, 402–405
 - clinical implications of, 406–407
 - See also* Staging.
- Screening, for sleep disorders, in the home, 463
- Seizure disorders, and treatments for, polysomnographic features of, 414
- Sleep, onset of, problem in sleep staging, 346
- recording of. *See* Polysomnography.
- staging, **343–352**
 - derivations and montages, 344–345
 - historic survey, 343–344
 - major body movements, 349–350
 - terminology and scoring principles, 345–349
 - non-rapid eye movement sleep, 346–348
 - rapid eye movement sleep, 348–349
 - wakefulness, 345–346
- Sleep apnea, cardiac monitoring during polysomnography in patients with obstructive, 377–378
 - central, pediatric, polysomnography for, 395–396
 - history of polysomnography in, 317–318
 - manual titration of positive airway pressure in patients with obstructive, **445–455**
 - obstructive, portable monitoring for, 437–443
 - pediatric obstructive, polysomnography for, 395
- Sleep architecture, drug effects on, 410–411
 - in pediatric polysomnography scoring, 402–404
- Sleep deprivation, performance and, future of testing for, 462
- Sleep disorders, nocturnal movements in, 365–368
 - neurologic disorders, 366–368
 - benign epilepsy of childhood, 367–368
 - continuous spike waves during non-rapid eye movement sleep, 368
 - early or late onset occipital epilepsy, 368
 - juvenile myoclonic epilepsy, 368
 - Landau-Kleffner syndrome, 368
 - nocturnal frontal lobe epilepsy, 367
 - sleep-related epilepsies, 366–367
 - parasomnias, 365–366
 - confusional arousals, 365
 - nightmare disorder, 366
 - rapid eye movement sleep behavior disorder, 365–366
 - sleep terrors, 365
 - sleep-related eating disorder, 366
 - sleepwalking, 365
 - screening for, in the home, 463
 - testing in the sleep laboratory, future of, 457–458

- Sleep medicine, role of polysomnography in development of, 316–318
- Sleep monitoring, in the home, future of, 463
- Sleep starts, nocturnal movement in, 368–369
- Sleep technology, field of, history of growth of, 318–319
- Sleep terrors, nocturnal movement in, 365
- Sleep-disordered breathing, portable monitoring for, 437–443
respiratory monitoring in diagnosis of, **353–360**
- Sleep-related breathing disorders, manual titration of positive airway pressure in patients with, **445–455**
- Sleep-related epilepsies, nocturnal movement in, 366–367
- Sleep-related movement disorders, important diagnostic features, 362–364
bruxism, 364
leg cramps, 363
periodic limb movement disorder, 362–363
rhythmic movement disorder, 364
- Sleepiness, excessive daytime, pediatric, polysomnography for, 397–398
- Sleepiness, excessive daytime, testing for, **385–393**
alternative tests of sleepiness, 392
clinical history, 385–386
maintenance of wakefulness test, 390–391
multiple sleep latency test, 386–390
polysomnography, 386
potential applications of tests, 391–392
- Sleepwalking, 365
- Staging, sleep, **343–352**
derivations and montages, 344–345
historic survey, 343–344
major body movements, 349–350
terminology and scoring principles, 345–349
non-rapid eye movement sleep, 346–348
rapid eye movement sleep, 348–349
wakefulness, 345–346
- Stanford Narcolepsy Clinic, history of, 317
- Starts, sleep, nocturnal movement in, 368–369
- Stimulants, sleep-related movement disorders related to, 364
- Sudden cardiac death, risk of, cardiac monitoring during polysomnography, 377
- Swallowing, sleep-related abnormal, 371
- Sweat sway, artifact on polysomnography due to, 430–433
- T**
- Techniques, polysomnographic, for pediatric patients, 399–402
- Terrors, sleep, nocturnal movement in, 365
- Thermal technology, in measurement of airflow, 353–354
polyvinyl fluoride film airflow sensors, 354
- Tonometry, peripheral arterial, assessment of, in sleep-disordered breathing, 357–358
- Tracheostomy decannulation, pediatric, polysomnography for, 397
- Transcutaneous carbon dioxide, measurement of gas exchange with, 356
- Transcutaneous oximetry, measurement of gas exchange with, 356
- Troubleshooting, artifacts and, on polysomnography, **423–436**
- U**
- Unattended polysomnography, pediatric, 398
- V**
- Videotaping, in pediatric polysomnography, 402
- W**
- Wakefulness, in sleep staging, 345–346
criteria for, 345–346
problem of sleep onset, 346